



KONICA MINOLTA


Giving Shape to Ideas



bizhub C652DS

High speed duplex scanning

Office systems bizhub C452/C552/C652/C652DS



Superior scanning

Today, scanning is essential in any business environment to simplify and streamline the distribution and sharing of information. The bizhub C652DS features a high speed, duplex scanner and makes it the ideal input tool for professional document archiving and integration into Document Management Systems. The bizhub C652DS scans up to 156 images per minute and, combined with Konica Minolta's versatile capturing applications, is the ideal central scanning device for the corporate CRD.

→ Versatile scanning

The choice of scan formats includes JPEG and multi-page PDF, XPS and TIFF as well as compact PDF and compact XPS, which provide considerably reduced file sizes that help to ease network traffic and speed up communication.

Available in combination with user authentication, the functions scan-to-Me and scan-to-Home serve to speed up the process of sending scans to the user's own email address (scan-to-Me) or own registered PC folder (scan-to-Home). In addition, the administrator can take advantage of these features to restrict the choice of scan destinations to a user's own destinations.

→ Comprehensive media capabilities

Media processing on the bizhub C652DS is impressively flexible: The generous paper supply of up to 6,650 sheets is sufficient to complete even high-volume jobs without interruption. Paper sizes range from A6 to A3+, and paper qualities include thick paper of up to 300 gsm. Special media and media of customised sizes can be processed without hitch.

→ Professional finishing versatility

The bizhub C652DS can be equipped with versatile finishing. A highlight among this bizhub's versatile finishing options is the endless booklet production in the booklet finisher. This also has a letter-fold functionality, again with unlimited capacity and perfect for the time-saving automatic folding of invoices, mailings and other letters. Finishing further includes automatic stapling of up to 100 sheets, 2- and 4-hole punching for professional manuals, reports and extensive documentation; and the insertion of heavy covers of up to 209gsm.

➔ Technical specifications bizhub C652DS

■ Copier specifications

Copying process	Electrostatic laser copy Tandem indirect
Toner system	Simitri HD®- polymerised toner
Copy/print speed A4 (mono/colour)	Up to 65/50 cpm
Copy/print speed A3 (mono/colour)	Up to 33/25 cpm
Autoduplex speed A4 (mono/colour)	Up to 65/50 cpm
1st copy/print time (mono/colour)	3.8/5.5 sec.
Warm-up time	Approx. 45 sec. ¹
Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multi-copy	1–9,999
Original format	A5–A3
Magnification	25–400% in 0.1% steps; Autozooming
Copy functions	Chapter Cover and page insertion Proof copy (print and screen) Adjustment test print Digital art functions Job setting memory Poster mode; Image repeat Overlay Stamping

■ Printer specifications (Embedded Emperon Controller)

Print resolution	Equivalent to 1,800 x 600 dpi
Controller CPU	PowerPC MC7448 @ 1 GHz; 64 BIT
Page description language	PCL 6c PostScript 3 (CPSI 3017) XPS
Operating systems	Windows 2000 Windows XP Windows XP64 Windows VISTA 32 Windows VISTA 64 (DPWS support) Windows Server 2000 Windows Server 2003 Windows Server 2003x64 Windows Server 2008 Windows Server 2008x64 Macintosh 9.x Macintosh 10.x Unix Linux Citrix
Printer fonts	80x PCL 137x PostScript 3 Emulation

■ Scanner specifications

Scan speed	Colour up to 156 images per minute Mono up to 156 images per minute
Scan resolution	Max.: 600 x 600 dpi
Scan modes	Network TWAIN scan Scan-to-eMail (scan-to-Me) Scan-to-FTP Scan-to-SMB (scan-to-Home) Scan-to-Box Scan-to-WebDAV Scan-to-DPWS Scan-to-USB

File formats	JPEG TIFF PDF Compact PDF Encrypted PDF XPS Compact XPS
Scan destinations	2,100 (single + group); LDAP support
Scan functions	Annotation (text/time/date) for PDF; up to 400 job programs

■ Fax specifications (optional)

Fax standard	Super G3 (optional)
Fax transmission	Analogue i-Fax Colour i-Fax (RFC3949-C) IP-Fax SIP-Fax
Fax resolution	Max; 600 x 600 dpi (ultra-fine)
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,100 (single + group)
Fax functions	Polling; Time shift; PC-Fax; Receipt to confidential box; Receipt to eMail/FTP/SMB; up to 400 job programs

■ User box specification

Max. user boxes	1,000
Max. storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public Personal (with password or authentication) Group (with authentication)
Type of system boxes	Secure print Encrypted PDF print Fax receiving Fax polling
User box functionality	Reprint; combination Download Sending (email/FTP/SMB and Fax) Copy box to box

■ System Specifications

System memory	2 GB
System hard disc	250 GB
Interface	10-Base-T/100-Base-TX/1,000-Base-T Ethernet; USB 2.0
Network protocols	TCP/IP (IPv4 / IPv6); IPX/SPX; NetBEUI; AppleTalk (EtherTalk); SMB; LPD; IPP; SNMP; HTTP
Automatic document feeder	Up to 100 originals; A6–A3; 35–210 gsm; Dualscan
Printable paper size	A6–A3 full bleed; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	64–300 gsm
Paper input capacity	Standard: 3,650 sheets Max.: 6,650 sheets
Tray 1 + 2	500 sheets; A5–A3+; 64–256 gsm
Tray 3	1,500 sheets; A4; 64–256 gsm
Tray 4	1,000 sheets; A4; 64–256 gsm
Manual Bypass	150 sheets; A6–A3+; custom sizes; banner 64–300 gsm
A4 Large Capacity	3,000 sheets; A4; 64–256 gsm
Tray (optional)	
A4/A3 Large Capacity Tray (optional)	2,500 sheets; A4–A3+; 64–256 gsm
Automatic duplexing	A5–A3+; 64–256 gsm
Power consumption	220-240 V / 50/60Hz Less than 2.1 KW
System dimensions (W x D x H, mm)	650 x 879 x 1155
System weight	Approx. 221 kg



KONICA MINOLTA


Simitri HD
High Definition Polymerised Toner



CITRIX



SAP® Printer Vendor Solution



- All specifications relating to paper capacity refer to A4-size paper of 80 gsm quality
- All specifications relating to scanning, copying or printing speeds refer to A4-size paper that is scanned, copied or printed crosswise in multipage, simplex mode.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications, network protocols as well as network and system configurations
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5 % coverage of A4). The actual consumables life will vary depending on the use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity
- Some of the product illustrations contain optional accessories
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks, of Microsoft Corporation in the United States and/or other countries
- SAP and all SAP logos are trademarks or registered trademarks of SAP AG in Germany and in several other countries
- All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged

*WEEE = EU Directive on Waste and Electrical Equipment
**RoHS = Restriction of Hazardous Substances Directive

Konica Minolta
Business Solutions (UK) Ltd
Miles Gray Road, Basildon
Essex SS14 3AR
Tel: 01268 534444
Email: info@konicaminolta.co.uk